



PTP 110708

CERTIFICATION CATÉGORIE II



# KRYTECH 576

**CE-type examination certificates**

**N° 0075/014/162/11/08/0442**

**Issued by the approved certification body nr 0075**

C.T.C. – rue H. FRENKEL - F-69367 LYON CEDEX 07

This glove conforms to the provisions of directive 89/686/EEC for protection against mechanical risks within the limit of the recommendations hereafter.

# **KRYTECH 576**

## **DESCRIPTION AND GENERAL PROPERTIES**

Glove with synthetic textile cut-resistant support (HDPE High Density Polyethylen) with palm and fingers coated with grey PU.

**Curved fingers** and **contoured palm**

Elastic knitted wrist (natural rubber elastic wrist band)

	<b>Sizes Available</b>	<b>Glove length (cm)</b> Nominal value
<b>KRYTECH 576</b>	6	23
	7	23,5
	8	24
	9	25
	10	26

Standard packaging:

- 1 **pair** per bag,
- 12 pairs per polybag with information leaflet
- **96** pairs per carton

## **"CE" –TYPE EXAMINATION**



**Protection against mechanical risks**

**Levels of performance according to EN 388 standards.**

**4 5 4 3**

| | | |  
| | | ↳puncture resistance (0 to 4)  
| | ↳ tear resistance (0 to 4)  
| ↳blade cut resistance (0 to 5)  
↳abrasion resistance (0 to 4)

This glove do not protect against chemical risks.

# **KRYTECH 576**

## **SPECIFIC ADVANTAGES**

- Optimal cut resistance, level 5
- Excellent dexterity thanks to the precise fit
- Added comfort and flexibility
- For intricate handling in reasonably clean environments

## **MAIN FIELDS OF USE**

- Automotive / mechanical industries
  - Handling metal parts
  - Assembly of thin metal sheets
  - Finishing sharp parts
- Plastic industry
  - Post-injection material removal

## **INSTRUCTIONS FOR USE AND STORAGE**

### **For enhanced safety and service life of the gloves:**

- It is recommended to check that the gloves are suitable for the intended use, because the conditions of use at workplace may differ from the "CE"-type tests.
- Store the glove in their original packaging protected from heat, light and humidity.
- Put the gloves on dry, clean hands.
- Ensure the inside of the gloves is dry before putting them on again.
- Caution: improper use of the gloves or submitting them to a cleaning or laundering process that is not specifically recommended can alter their performance levels.
- Inspect the gloves for cracks or snags before reusing them.
- Nor to use them next to moving machinery.
- For more information about performances and uses, contact your distributor or the Technical Customer Service MAPA PROFESSIONNEL ([stc.mapaspontex@ms.hutchinson.fr](mailto:stc.mapaspontex@ms.hutchinson.fr))

**"CE" DECLARATION OF CONFORMITY**

The Company

**MAPA s.n.c.**

57, rue de Villiers  
BP 190  
92205 Neuilly-sur-Seine Cedex - France

declares that the following MAPA PROFESSIONNEL protective glove :

**KRYTECH 576**

conforms to the glove which is the subject of "**CE**" certificate of conformity

**nr 0075/014/162/08/11/0442**

issued by the notified body nr **0075**

**C.T.C**

4 rue H FRENKEL - F-69367 LYON CEDEX 07

It conforms to the provisions of directive **89/686/CEE**, designed for protection against **mechanical risks**,

and is manufactured in conformance with the following **European Standards** :  
**EN 420 and EN 388.**

Prepared at Beauvais, on January 13th, 2009

**MAPA S.N.C.**  
57, rue de Villiers  
BP 190  
92205 NEUILLY-SUR-SEINE Cedex  
N. OGER  
Technical Services Pole